**AP Biology** 

# AP LAB INVESTIGATION 5 PHOTOSYNTHESIS

# What factors affect the rate of photosynthesis in living leaves?

## BACKGROUND

Photosynthesis fuels ecosystems and replenishes the Earth's atmosphere with oxygen. Like all enzyme-driven reactions, the rate of photosynthesis can be measured by either the disappearance of substrate or the accumulation of product (or by-products).

The general summary equation for photosynthesis is

2 H<sub>2</sub>O + CO<sub>2</sub> + light  $\rightarrow$  carbohydrate (CH<sub>2</sub>O) + O<sub>2</sub> + H<sub>2</sub>O

What could you measure to determine the rate of photosynthesis?

- Production of O<sub>2</sub> (How many moles of O<sub>2</sub> are produced for one mole of sugar synthesized?), or,
- Consumption of CO<sub>2</sub> (How many moles of CO<sub>2</sub> are consumed for every mole of sugar synthesized?)

In this investigation, you will use a system that measures the accumulation of oxygen.

Because the spongy mesophyll layer of leaves (shown in Figure 1) is normally infused with gases  $(O_2 \text{ and } CO_2)$ , leaves — or disks cut from leaves — normally float in water. What would you predict about the density of the leaf disk if the gases are drawn from the spongy mesophyll layer by using a vacuum and replaced with water? How will that affect whether or not the leaf floats? If the leaf disk is placed in a solution with an alternate source of carbon dioxide in the form of bicarbonate ions, then photosynthesis can occur in a sunken leaf disk. As photosynthesis proceeds, oxygen




Figure 1. Leaf Anatomy

accumulates in the air spaces of the spongy mesophyll, and the leaf disk will once again become buoyant and rise in a column of water. Therefore, the rate of photosynthesis can be indirectly measured by the rate of rise of the leaf disks. However, there's more going on in the leaf than that! You must also remember that cellular respiration is taking place at the same time as photosynthesis in plant leaves. (Remember that plant cells have mitochondria, too!) What else could be going on that might affect this process? Aerobic respiration will consume oxygen that has accumulated in spongy mesophyll. Consequently, the two processes counter each other with respect to the accumulation of oxygen in the air spaces of the spongy mesophyll. So now you have a more robust measurement tool — the buoyancy of the leaf disks is actually an indirect measurement of the net rate of photosynthesis occurring in the leaf tissue.

#### Learning Objectives

- To design and conduct an experiment to explore the effect of certain factors, including different environmental variables, on the rate of cellular photosynthesis
- To connect and apply concepts, including the relationship between cell structure and function (chloroplasts); strategies for capture, storage, and use of free energy; diffusion of gases across cell membranes

### THE INVESTIGATIONS

Procedure

In this part of the lab, you will learn how the floating leaf disk technique can measure the rate of photosynthesis by testing a variable that you know affects photosynthesis. Later, you will apply this technique to test a variable that you choose. It is important for you to develop a few skills during this part of the investigation in order to carry out your own investigation. For the floating disk technique, the most challenging skill is getting the disks to sink. Don't just watch someone do this; make sure you can get the disks to sink as well.

#### **Materials**

- Baking soda (sodium bicarbonate)
- Liquid soap (approximately 5 mL of dishwashing soap in 250 mL of water)
- 2 Plastic syringes without needle (10 mL or larger)
- Living leaves (spinach, ivy, etc.)

- Two 50 ml beakers
- One 250 mL beaker
- Timer
- Light source
- Phosphate buffer (pH 6.8)
- 100 mL Graduated cylinder
- Mass balance

• Hole punch

When immersed in water, oxygen bubbles are usually trapped in the air spaces of the spongy mesophyll in the plant leaf. By creating a vacuum in this experimental

procedure, the air bubbles can be drawn out of the spongy mesophyll, and the space is refilled by the surrounding solution. This allows the leaf disks to sink in the experimental solution. If the solution has bicarbonate ions and enough light, the leaf disk will begin to produce sugars and oxygen through the process of photosynthesis. Oxygen collects in the leaf as photosynthesis progresses, causing the leaf disks to float again. The length of time it takes for leaf disks to float again is a measure of the net rate of photosynthesis. This process is shown in Figure 2.




Figure 2. Photosynthesis at Work

Question: If the leaf disks are treated in a way you know increases the net rate of photosynthesis, should they start to float faster or slower? Why?

- Step 1 Prepare 100 mL of buffered 0.2% bicarbonate solution: In a clean 250 mL beaker, mix 2.5 mL of phosphate buffer (pH 6.8) with about 90 mL of distilled water. Add 0.2 grams of sodium bicarbonate (baking soda) and mix until dissolved. Carefully pour the mixture into a 100 mL graduated cylinder. Add enough additional distilled water to bring the final volume of the solution to 100 mL. Pour the finished solution back into the 250 mL beaker. The bicarbonate will serve as a source of carbon dioxide for the leaf disks while they are in the solution.
- Step 2 Pour some of the bicarbonate solution from Step 1 into a 50 mL beaker to a depth of about 3 cm. Label this beaker "With CO<sub>2</sub>." Fill a second 50 mL beaker with distilled water to be used as a control. Label this beaker "Without CO<sub>2</sub>." Throughout the rest of the procedure you will be preparing material for both beakers, so do everything for both cups simultaneously.
- Step 3 Using a transfer pipette, add one drop of dilute liquid soap solution to the solution in each 50 mL beaker. It is critical to avoid suds. If either solution generates suds, then dilute it with more bicarbonate or water solution. The soap acts as a surfactant or "wetting agent" it wets the hydrophobic surface of the leaf, allowing the solution to be drawn into the leaf and enabling the leaf disks to sink in the fluid.

# AP LAB INVESTIGATION 5: PHOTOSYNTHESIS

Step 4 Using a hole punch, cut 10 or more uniform leaf disks for each cup (Figure 3). Avoid major leaf veins. (The choice of plant material is perhaps the most critical aspect of this procedure. The leaf surface should be smooth and not too thick.)



Figure 3. Leaf Disks

Step 5 Draw the gases out of the spongy mesophyll tissue and infiltrate the leaves with the sodium bicarbonate solution by performing the following steps:

- a. Remove the piston or plunger from both syringes. Place the 10 leaf disks into each syringe barrel.
- b. Replace the plunger, but be careful not to crush the leaf disks. Push in the plunger until only a small volume of air and leaf disk remain in the barrel (<10%).</p>
- c. Pull a small volume (5 cc) of sodium bicarbonate plus soap solution from your prepared 50 mL beaker into one syringe and a small volume of water plus soap into the other syringe. Tap each syringe to suspend the leaf disks in the solution. Make sure that, with the plunger inverted (tip upward), the disks are suspended in the solution. Make sure no air remains. Move the plunger to get rid of air from the syringe before you attempt Step 5d. Be careful not to squirt any liquid from the syringe as you remove the air. Go slowly.

# AP LAB INVESTIGATION 5: PHOTOSYNTHESIS

d. You now want to create a vacuum in the syringe to draw the air out of the leaf tissue. This is the most difficult step to master. Create the vacuum by holding a finger over the narrow syringe opening while drawing back the plunger (see Figure 4a). Hold this vacuum for about 10 seconds. While holding the vacuum, swirl the leaf disks to suspend them in the solution. Now release the vacuum by letting the plunger spring back. The solution will infiltrate the air spaces in the leaf disk, causing the leaf disks to sink in the syringe. If the plunger does not spring back, you did not have a good vacuum, and you may need a different syringe. You may have to repeat this procedure two to three times in order to get the disks to sink. (If you have any difficulty getting your disks to sink after three tries, it is usually because there is not enough soap in the solution. Try adding a few more drops of soap to the cup and replacing the liquid in the syringe.) Placing the disks under vacuum more than three times can damage the disks.



Figure 4a. Creating a Vacuum in the Syringe



Figure 4b. Sinking Leaf Disk

- Step 6 Pour the disks and the solution from the syringe into the appropriate 50 mL beaker. Disks infiltrated with the bicarbonate solution go in the "With CO<sub>2</sub>" beaker, and disks infiltrated with the water go in the "Without CO<sub>2</sub>" beaker.
- Step 7 Place both cups under the light source and start the timer. At the end of each minute, record the number of floating disks. Then swirl the disks to dislodge any that stuck against the side of the beakers. Continue until all of the disks are floating in the cup with the bicerbanete colution.

Step 8 To needed the leaf disks to Step 9 Re





# Designing and Conducting Your Investigation

What factors affect the rate of photosynthesis in living plants?

- 1. Once you have mastered the floating disk technique, you will design an experiment to test another variable that might affect the rate of photosynthesis. Some ideas include the following, but don't limit yourself to just these:
  - What environmental variables might affect the net rate of photosynthesis? Why do you think they would affect it? How do you predict they would affect it?
  - What features or variables of the plant leaves might affect the net rate of photosynthesis? How and why?
  - Could the way you perform the procedure affect the outcome? If the outcome changes, does it mean the net rate of photosynthesis has changed? Why do you think that?
- 2. Use your results to prepare a lab report.